

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/680,427	10/06/2000	Jan Jozias Janse	0142-0345P	1287	
2292 75	590 06/14/2006		EXAM	EXAMINER	
	VART KOLASCH &	POKRZYWA	POKRZYWA, JOSEPH R		
PO BOX 747 FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER	
			2625		
			DATE MAILED: 06/14/200	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

-		Application No.	Applicant(s)			
Office Action Summary		09/680,427	JANSE ET AL.			
		Examiner	Art Unit			
		Joseph R. Pokrzywa	2625			
	The MAILING DATE of this communication app					
Period for Reply						
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	l. ely filed the mailing date of this communication. O (35 U.S.C. § 133).			
Status						
1)[🛛	Responsive to communication(s) filed on 31 Ja	nuary 2006.				
2a)⊠	This action is FINAL . 2b) This action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims					
4)⊠ Claim(s) <u>1-6 and 9-37</u> is/are pending in the application.						
•	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠	6)⊠ Claim(s) 1-6 and 9-37 is/are rejected.					
7)	Claim(s) is/are objected to.					
8)[8) Claim(s) are subject to restriction and/or election requirement.					
Applicati	on Papers					
9)[7]	The specification is objected to by the Examine	r .				
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority u	ınder 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
• • •						
Attachment		. □	(DTO 440)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date						
3) Inform	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date		atent Application (PTO-152)			

DETAILED ACTION

Response to Amendment

1. Applicant's amendment was received on 1/31/06, and has been entered and made of record. Currently, claims 1-6, and 9-37 are pending.

Response to Arguments

2. Applicant's arguments filed 1/31/06 have been fully considered but they are not persuasive.

In response to applicant's argument regarding the rejection of claim 1, which was cited in the Office action dated 10/31/05 as being unpatentable over Maniwa (U.S. Patent Number 5,764,866, cited in the Office action dated 6/3/05) in view of Blumberg (U.S. Patent Number 6,708,309). The primary reference of Manawa teaches of a system that includes the limitation of automatically synthesizing the scan data file including the scan data generated during the scanning step and meta data (column 3, lines 8-17, seen in Figs. 4A-4C, wherein packet 83 comprises the application data 84, which is considered as meta data) relating to properties of the specific scan job type (column 12, line 5-column 13, line 37), with a processing being done at an image server, as read in column 19, lines 53-60, which states that the "scan server 94 applies various image processing to files stored in the file server 93 in a similar manner to the processing of image data stored in the hard-drive unit 23". Thus an image server is processing the scan data. However, Manawa fails to expressly disclose if the metadata also includes data for selecting a certain further processing of the scan data in an image server and data for directing the selected

Art Unit: 2625

further processing of the scan data in the image server. Blumberg teaches in column 10, lines

Page 3

18-26, that "meta-data also includes parameters for transformations to be applied to the image,

such as rotations and scaling, general affine spatial transformations, contrast adjustment, color

space transformations, etc." Further, Blumberg shows in Fig. 6 and read in column 16, lines 12-

48, that an image server acquires an image and processes the image to create an "image-less

document". This processing is performed in a server, as seen in Figs. 6 and 7, and read in

column 17, lines 5-20. Thus, one of ordinary skill in the art can recognize that it would have

been obvious to have Maniwa's system include metadata that includes data for selecting a certain

further processing of the scan data in an image server and data for directing the selected further

processing of the scan data in the image server. Therefore, the combination of Maniwa and

Blumberg teach of the limitation that requires automatically synthesizing the scan data file

including the scan data generated during the scanning step and meta data relating to the

properties of said specific scan job type, said metadata also including data for selecting a certain

further processing of the scan data in an image server and data for directing said selected further

processing of the scan data in the image server, as currently required in independent claim 1

3. Therefore, the rejection of claims 1-6, 9-14, 19-21, and 25-30, as cited in the Office

action dated 10/31/05 under 35 U.S.C. 103(a) as being unpatentable over Maniwa (U.S. Patent

Number 5,764,866) in view of Blumberg (U.S. Patent Number 6,708,309), is maintained and

repeated in this Office action.

Application/Control Number: 09/680,427 Page 4

Art Unit: 2625

Claim Objections

4. Claim 34 is objected to because of the following informalities:

In claim 34, line 1, "method" should read "apparatus".

Appropriate correction is required.

Claim Rejections - 35 USC § 102

- 5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 6. Claims 1-6, 9-14, 19-21, 25-30, 32, 33, and 35-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Maniwa (U.S. Patent Number 5,764,866, cited in the Office action dated 10/31/05) in view of Blumberg (U.S. Patent Number 6,708,309, cited in the Office action dated 10/31/05).

Regarding *claim 1*, Maniwa discloses a method for automating processing of scan data files generated by a digital image scanner (see abstract), comprising selecting, at the scanner, a specific scan job type from a list of predefined scan job types (steps S3-S5 in Fig. 5, column 14, lines 25-52), each scan job type having pre-specified properties (column 14, lines 25-35), scanning one or more documents according to properties of the specific scan job type (column 14, line 53-column 15, line 10), thereby generating a file of scan data, automatically synthesizing the scan data file including the scan data generated during the scanning step and meta data (column 3, lines 8-17, seen in Figs. 4A-4C, wherein packet 83 comprises the application data 84, which is considered as meta data) relating to properties of the specific scan job type (column 12, line 5-column 13, line 37), transmitting the scan data file to an image server (column 12, lines

Art Unit: 2625

39-65, and column 16, line 59-column 17, line 52), automatically analyzing, upon reception of the scan data file in the image server, the scan data file as to the data contained therein, and automatically further processing the scan data file in a way specified by the meta data contained therein (column 12, lines 49-column 13, line 16, column 17, line 20-column 18, line 13, column 19, lines 44-60, and column 21, line 14-column 22, line 14).

However, Maniwa fails to expressly disclose if the metadata also includes data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data in the image server.

Blumberg discloses a method comprising automatically synthesizing the scan data file including the scan data generated during the scanning step and meta data relating to properties of the specific scan job type (column 10, lines 4-26), the metadata also including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data (column 10, lines 18-26), transmitting the scan data file to an image server (column 8, lines 30-57, and column 26, line 12-24), automatically analyzing, upon reception of the scan data file in the image server, the scan data file as to the data contained therein (column 16, lines 12-48), and automatically further processing the scan data file in a way specified by the meta data contained therein (column 10, lines 18-26, and column 16, lines 13-48).

Maniwa & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an

Art Unit: 2625

image server and data for directing the selected further processing of the scan data. The suggestion/motivation for doing so would have been that Maniwa's system would transmit images more efficiently, wherein only the minimal amount of image data necessary to satisfy a client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa to obtain the invention as specified in claim 1.

Regarding *claim 2*, Maniwa and Blumberg disclose the method discussed above in claim 1, and Maniwa further teaches of pre-defining a scan job type, including specifying properties for the scan job type (column 4, lines 25-35), transmitting a scan job type definition thus made to the scanner, and upon reception of a scan job type definition at the scanner, including the scan job type in the list of scan job types (column 14, lines 36-48).

Regarding *claim* 3, Maniwa and Blumberg disclose the method discussed above in claim 1, and Maniwa further teaches of transmitting the scan job type definition to the image server and installing the scan job type therein, for reference when a scan data file is analyzed (column 14, line 25-column 15, line 10).

Regarding *claim 4*, Maniwa and Blumberg disclose the method discussed above in claim 1, and Maniwa further teaches that the meta data contained in the synthesized scan data file includes an application selector string which specifies the way of further processing of the scan data file (column 13, lines 8-17).

Regarding *claim 5*, Maniwa and Blumberg disclose the method discussed above in claim 1, and Maniwa further teaches of automatically synthesizing a file name for a scan data file, the file name including at least part of the meta data (column 12, line 5-column 13, line 16).

Regarding *claim* 6, Maniwa and Blumberg disclose the method discussed above in claim 1, and Maniwa further teaches that the processing includes displaying the scan data file on a display screen, storing the scan data file in a specified database, or submitting said scan data file to a printer for printing (column 13, line 49-column 14, line 55).

Regarding *claim 9*, Maniwa and Blumberg disclose the method discussed above in claim 1, and Maniwa further teaches that in the scanning step, the scan data are generated according to specifications specified by the properties of the selected scan job type (column 13, lines 8-17, and column 14, lines 25-66).

Regarding *claim 10*, Maniwa and Blumberg disclose the method discussed above in claim 1, and Maniwa further teaches that the properties of a scan job type include the requirement of a job number being given for a scan job (column 12, lines 24-38, and column 14, lines 36-52), and wherein, before a scan job of the type is started, an operator is asked to enter a job number for that job, and the job number is automatically included in the meta data contained in the scan data file generated (column 14, lines 25-58).

Regarding *claim 11*, Maniwa discloses a method for use in a networked scanner device (see abstract), in which documents are scanned thereby generating scan data and in which generated scan data are uploaded to a server via a network (column 12, lines 49-column 13, line 16, column 17, line 20-column 18, line 13, and column 21, line 14-column 22, line 14), the method comprising scanning a document to generate scan data (column 14, line 53-column 15, line 10), and automatically generating a composite scan data file that includes the generated scan data and a composite meta data (column 3, lines 8-17, seen in Figs. 4A-4C, wherein packet 83 comprises the application data 84, which is considered as meta data) comprising an application

selector code which specifies a further processing step in the server for further processing the scan data (column 12, line 5-column 13, line 37).

However, Maniwa fails to expressly disclose if the metadata also includes an application selector code for selecting a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan data in the server.

Blumberg discloses a method comprising automatically generating a composite scan data file that includes the generated scan data (column 10, lines 4-26) and composite meta data comprising an application selector code for selecting a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan data in the server (column 10, lines 18-26).

Maniwa & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data in the server. The suggestion/motivation for doing so would have been that Maniwa's system would transmit images more efficiently, wherein only the minimal amount of image data necessary to satisfy a client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa to obtain the invention as specified in claim 11.

Regarding *claim 12*, Maniwa and Blumberg disclose the method discussed above in claim 11, and Maniwa further teaches of automatically generating a file name for the scan data

Art Unit: 2625

file, the file name including at least part of the composite meta data (column 12, line 5-column 13, line 16, and column 16, lines 11-57).

Regarding *claim 13*, Maniwa and Blumberg disclose the method discussed above in claim 11, and Maniwa further teaches of storing generic composite meta data including an application selector code, completing, by an operator, the generic composite meta data by entering additional identification data (column 12, line 5-column 13, line 16, and column 16, lines 11-57), forming specific composite meta data based on the generic composite meta data and the additional identification data entered by the operator (column 14, lines 25-52, and column 16, lines 11-57), and scanning a document thereby generating a scan data file including the specific composite meta data (column 14, line 53-column 15, line 17, and column 16, lines 11-57).

Regarding *claim 14*, Maniwa and Blumberg disclose the method discussed above in claim 11, and Maniwa further teaches of storing at least two different sequences of generic composite meta data (column 12, line 24-column 13, line 17), each relating to a respective scan job type and including a different application selector code, presenting for selection the respective scan job types to an operator of the scanner device, selection, by the operator, of one of the scan job types (column 14, lines 25-55), scanning a document thereby generating a scan data file including a specific sequence of composite meta data based on the generic sequence of composite meta data of a scan job type selected by the operator (column 14, lines 25-52, and column 16, lines 11-57).

Regarding *claim 19*, Maniwa discloses an apparatus for use in a networked scanner device (see abstract), in which documents are scanned thereby generating scan data and in which generated scan data are uploaded to a server via a network (column 12, lines 49-column 13, line

16, column 17, line 20-column 18, line 13, and column 21, line 14-column 22, line 14), the apparatus comprising a scan data generator to generate scan data for a document (column 14, line 53-column 15, line 10), and a unit to automatically generate a composite scan data file including the generated scan data and meta data (column 3, lines 8-17, seen in Figs. 4A-4C, wherein packet 83 comprises the application data 84, which is considered as meta data) including an application selector code which specifies a further processing step in the server for further processing the scan data (column 12, line 5-column 13, line 37).

However, Maniwa fails to expressly disclose if the metadata also includes data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data.

Blumberg discloses an apparatus comprising a unit to automatically generate a composite scan data file that includes the generated scan data (column 10, lines 4-26) and composite meta data comprising an application selector code for selecting a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan data (column 10, lines 18-26).

Maniwa & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data. The suggestion/motivation for doing so would have been that Maniwa's system would transmit images more efficiently, wherein only the minimal amount of image data necessary to satisfy a

client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa to obtain the invention as specified in claim 19.

Regarding *claim 20*, Maniwa and Blumberg disclose the apparatus discussed above in claim 19, and Maniwa further teaches of a unit to store generic composite meta data (column 12, line 5-column 13, line 16, and column 16, lines 11-57), including an application selector code, a unit to enter, by the operator, additional identification data to complete said generic composite meta data (column 12, line 5-column 13, line 16, and column 16, lines 11-57), a unit to form a specific composite scan data file based on the generic composite meta data and the additional identification data entered by the operator (column 14, lines 25-52, and column 16, lines 11-57), and a unit to scan a document thereby generating a scan data file including the specific composite meta data (column 14, line 53-column 15, line 17, and column 16, lines 11-57).

Regarding *claim 21*, Maniwa and Blumberg disclose the apparatus discussed above in claim 19, and Maniwa further teaches of a unit to store at least two different sequences of generic composite meta data (column 12, line 24-column 13, line 17), each relating to a respective scan job type and including a different application selector code, a unit to present for selection the respective scan job types to an operator of the scanner device, a unit to select, by the operator, of one of the scan job types (column 14, lines 25-55), a unit to scan a document thereby generating a scan data file including specific composite meta data based on the generic composite meta data of the scan job type selected by the operator (column 14, lines 25-52, and column 16, lines 11-57).

Regarding *claim 25*, Maniwa and Blumberg disclose the apparatus discussed above in claim 21, and Maniwa further teaches of a unit to define, at a remote site, a scan job type

including a sequence of generic composite meta data including an application selector code and possibly data fields to be completed by an operator (column 14, lines 25-58, and column 16, lines 11-57), and a unit to download the defined scan job type including the sequence of generic composite meta data to the scanner device for use in the device (column 14, line 36-column 16, line 46).

Regarding *claim 26*, Maniwa discloses a data structure for use in a memory of a networked scanner device (see abstract, and column 8, lines 36-54), in which documents are scanned thereby generating scan data and in which generated scan data are uploaded to a server via a network (column 12, lines 49-column 13, line 16, column 17, line 20-column 18, line 13, and column 21, line 14-column 22, line 14), the scan file including the data structure comprising a scan data object to specify scan data pertaining to contents of one or more scanned documents of the scan file (column 12, lines 5-42, and column 14, line 53-column 15, line 10), and a meta data object (column 3, lines 8-17, seen in Figs. 4A-4C, wherein packet 83 comprises the application data 84, which is considered as meta data), linked to the scan data object, to identify composite meta data at least including an application selector code which specifies a further processing step in the server for further processing the scan file (column 12, line 5-column 13, line 37).

However, Maniwa fails to expressly disclose if the metadata object is linked to the image data object, to identify composite meta data at least including an application selector code which selects a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan file in the server.

Art Unit: 2625

Blumberg discloses a data structure having a meta data object, linked to the image data object, to identify composite meta data at least including an application selector code which selects a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan file (column 10, lines 18-26).

Maniwa & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data in the server. The suggestion/motivation for doing so would have been that Maniwa's system would transmit images more efficiently, wherein only the minimal amount of image data necessary to satisfy a client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa to obtain the invention as specified in claim 26.

Regarding *claim 27*, Maniwa and Blumberg disclose the data structure discussed above in claim 26, and Maniwa further teaches an extra object, linked to one of the image data object and the meta data object, to specify additional identification data of the scan file (see Fig. 4C, column 12, lines 24-38).

Regarding *claim 28*, Maniwa discloses a generic data structure for use in a memory of a networked scanner device (see abstract, and column 8, lines 36-54), in which documents are scanned thereby generating a scan file and in which the generated scan file is uploaded to a server via a network (column 12, lines 49-column 13, line 16, column 17, line 20-column 18, line 13, and column 21, line 14-column 22, line 14), the scan file in the memory including the

data structure comprising a first section for accommodating image data specifying image contents of one or more scanned documents (column 12, lines 5-42, and column 14, line 53-column 15, line 10), a second section, linked to the first section, for accommodating composite meta data (column 3, lines 8-17, seen in Figs. 4A-4C, wherein packet 83 comprises the application data 84, which is considered as meta data) at least including a predefined application selector code which specifies a further processing step in the server for further processing the scan file and further including operator-completable additional identification data (column 12, line 5-column 13, line 37).

However, Maniwa fails to expressly disclose of a data structure for accommodating composite meta data at least including a predefined application selector code which selects a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan file in the server.

Blumberg discloses a data structure accommodating composite meta data at least including a predefined application selector code which selects a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan file in the server (column 10, lines 18-26).

Maniwa & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data in the server. The suggestion/motivation for doing so would have been that Maniwa's system would transmit

images more efficiently, wherein only the minimal amount of image data necessary to satisfy a client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa to obtain the invention as specified in claim 28.

Page 15

Regarding *claim* 29, Maniwa discloses an article of manufacture comprising a computer readable medium having embedded thereon a computer program to be processed by a computer that is connected (see abstract, and column 8, lines 36-54), via a network, to a scanner device for scanning documents thereby generating a scan file and for uploading a generated scan file to a server via the network (column 12, lines 49-column 13, line 16, column 17, line 20-column 18, line 13, and column 21, line 14-column 22, line 14), the computer-readable-medium-embodied program comprising a first segment to define generic composite meta data including an application selector code field (column 3, lines 8-17, seen in Figs. 4A-4C, wherein packet 83 comprises the application data 84, which is considered as meta data), and a second segment to download the defined generic composite meta data to the scanner device for use in the device (column 12, line 5-column 13, line 37).

However, Maniwa fails to expressly disclose of defining composite meta data including an application selector code field and an additional data field for directing data, the fields together specifying a further processing of the generated scan data file to be performed in a server device connected to the network.

Blumberg discloses an article of manufacture comprising a computer readable medium having an embedded computer program comprising defining composite meta data including an application selector code field and an additional data field for directing data, the fields together

specifying a further processing of the generated scan data file to be performed in a server device connected to the network (column 10, lines 18-26).

Maniwa & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data to be performed in a server device connected to the network. The suggestion/motivation for doing so would have been that Maniwa's system would transmit images more efficiently, wherein only the minimal amount of image data necessary to satisfy a client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa to obtain the invention as specified in claim 29.

Regarding *claim 30*, Maniwa and Blumberg disclose the article of manufacture discussed above in claim 29, and Maniwa further teaches that the first segment is also operable to define the generic composite meta data so as to include at least one data field to be completed to enter the additional directing data by an operator at the scanner device (column 13, lines 8 through 17).

Regarding *claims 32, 33, and 35-37*, Maniwa and Blumberg disclose the methods, data structures, and article of manufacture discussed above in claims 1, 11, 26, 28, and 29, respectively, and Blumberg further teaches that the scan data includes text scan data pertaining to texts included in the one or more scanned documents (see Figs. 4A-4C, and column 13, lines 36-55).

Maniwa & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to have text scan data pertaining to texts included in the one or more scanned documents, as taught by Blumberg, within the system of scanned image data of Maniwa. The suggestion/motivation for doing so would have been that Maniwa's system would process common image, which includes text, as recognized by Blumberg, so that system users can efficiently use the system. Therefore, it would have been obvious to combine the further teachings of Blumberg with the system of Maniwa to obtain the invention as specified in claims 32, 33, and 35-37.

7. Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Maniwa (U.S. Patent Number 5,764,866, cited in the Office action dated 10/31/05) in view of Blumberg (U.S. Patent Number 6,708,309, cited in the Office action dated 10/31/05), and further in view of Ferguson *et al.* (U.S. Patent Number 6,237,011, cited in the Office action dated 10/31/05).

Regarding *claim 31*, Maniwa and Blumberg disclose the method discussed above in claim 1, but fail to expressly disclose if before starting a scan job in the scanning step according to a selected scan job type to generate the scan data of the scan data file, asking the operator at a local scanner user interface to enter the data for directing the selected further processing of the scan data, and including the operator-entered data in the metadata of the scan data file.

Ferguson discloses a method for automating processing of scan data files generated by a digital image scanner, comprising selecting, at the scanner, a specific scan job type from a list of predefined scan job types, each scan job type having pre-specified properties (see abstract, and

Figs. 4-15, column 9, line 46-column 10, line 14), scanning one or more documents according to properties of the specific scan job type, thereby generating a file of scan data (column 9, line 46-column 10, line 34), automatically synthesizing the scan data file including the scan data generated during the scanning step and meta data relating to properties of the specific scan job type (column 10, lines 35-67), with the metadata also including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data (column 10, lines 35-67, and column 12, lines 58-64). Ferguson further teaches that before starting a scan job in the scanning step according to a selected scan job type to generate the scan data of the scan data file, asking the operator at a local scanner user interface to enter the data for directing the selected further processing of the scan data, and including the operator-entered data in the metadata of the scan data file (see Figs. 4-10, and column 10, lines 35-67, and column 12, lines 58-64).

Maniwa, Blumberg, & Ferguson are combinable because they are from the same field of endeavor, being systems that send scanned documents to storage for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to include a local scanner user interface to enter data for directing the selected processing. The suggestion/motivation for doing so would have been that the system of Maniwa and Blumberg would become more user friendly, as the operator would be able select various processings and settings for the scanned document, as recognized by Ferguson in column 1, line 62-column 2, line 28. Therefore, it would have been obvious to combine the teachings of Ferguson with the system of Maniwa and Blumberg to obtain the invention as specified in claim 31.

8. Claims 11, 14-19, 21-24, 33, and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Maniwa *et al.* (U.S. Patent Number 5,768,483, hereinafter noted as Maniwa'483, cited in the Office action dated 10/31/05) in view of Blumberg (U.S. Patent Number 6,708,309, cited in the Office action dated 10/31/05).

Regarding *claim 11*, Maniwa'483 discloses a method for use in a networked scanner device (see abstract and Fig. 1), in which documents are scanned thereby generating scan data and in which generated scan data are uploaded to a server via a network (column 3, lines 40 through 67), the method comprising scanning a document to generate scan data (column 7, lines 38-67, and column 19, line 49-column 20, line 67), and automatically generating a composite scan data file that includes the generated scan data and a composite meta data (column 4, lines 19-26, column 21, lines 44-60, and column 23, lines 20-37, wherein the title of the scan profile is included with the image file as a header, thereby being considered meta data) comprising an application selector code which specifies a further processing step in the server for further processing the scan data (column 3, line 40-column 4, line 26, and column 21, line 1-column 22, line 34).

However, Maniwa'483 fails to expressly disclose if the metadata also includes an application selector code for selecting a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan data.

Blumberg discloses a method comprising automatically generating a composite scan data file that includes the generated scan data (column 10, lines 4-26) and composite meta data comprising an application selector code for selecting a certain further processing of the scan data

Art Unit: 2625

in the server and comprising additional data for directing the selected further processing of the scan data (column 10, lines 18-26).

Page 20

Maniwa'483 & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data. The suggestion/motivation for doing so would have been that Maniwa'483's system would transmit images more efficiently, wherein only the minimal amount of image data necessary to satisfy a client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa'483 to obtain the invention as specified in claim 11.

Regarding *claim 14*, Maniwa'483 and Blumberg disclose the method discussed above in claim 11, and Manowa'483 further teaches of storing at least two different sequences of generic composite meta data, each relating to a respective scan job type and including a different application selector code (column 23, lines 20-37), presenting for selection the respective scan job types to an operator of the scanner device (column 21, lines 21-67), selection, by the operator, of one of the scan job types (column 21, line 44-column 22, line 8), scanning a document thereby generating a scan data file including a specific sequence of composite meta data based on the generic sequence of composite meta data of a scan job type selected by the operator (column 22, line 9-column 23, line 33).

Regarding *claim 15*, Maniwa'483 and Blumberg disclose the method discussed above in claim 14, and Maniwa'483 further teaches of receiving identity information of an operator (column 3, line 6-column 4, line 18, and column 27, line 33-column 28, line 28), wherein, in the storing step, sets of at least one scan job type for each of a plurality of users are stored (see Table 2 in column 9), and wherein, upon receiving the identity information of the operator, the set of scan job types of that operator is presented in the presenting step (see Table 2 in Fig. 9, and column 3, line 6-column 4, line 18).

Regarding *claim 16*, Maniwa'483 and Blumberg disclose the method discussed above in claim 14, and Maniwa'483 further teaches that the identity information of an operator is inputted at the scanner device, and only the set of scan job types of that operator is presented (column 3, line 6-column 4, line 18, and column 27, line 33-column 28, line 53).

Regarding *claim 17*, Maniwa'483 and Blumberg disclose the method discussed above in claim 14, and Maniwa'483 further teaches that the identity information of an operator is inputted at a remote site connected to the scanner, and the set of scan job types of that operator is presented at the scanner device for a predetermined time interval (column 3, line 6-column 4, line 18, and column 27, line 33-column 28, line 53).

Regarding *claim 18*, Maniwa'483 and Blumberg disclose the method discussed above in claim 15, and Maniwa'483 further teaches of defining, at a remote site, a scan job type having a sequence of generic composite meta data including an application selector code and possibly data fields to be completed by an operator (column 4, lines 19-26, column 21, lines 44-60, and column 23, lines 20-37), and downloading the defined scan job type and the related sequence of

Art Unit: 2625

6 6 9

generic composite meta data to the scanner device for use in the device (column 4, lines 19-26, column 21, line 44-column 23, line 37).

Regarding *claim 19*, Maniwa'483 discloses an apparatus for use in a networked scanner device (see abstract and Fig. 1), in which documents are scanned thereby generating scan data and in which generated scan data are uploaded to a server via a network (column 3, lines 40 through 67), the apparatus comprising a scan data generator to generate scan data for a document (column 7, lines 38-67, and column 19, line 49-column 20, line 67), and a unit to automatically generate a composite scan data file including the generated scan data and meta data (column 4, lines 19-26, column 21, lines 44-60, and column 23, lines 20-37, wherein the title of the scan profile is included with the image file as a header, thereby being considered meta data) including an application selector code which specifies a further processing step in the server for further processing the scan data (column 3, line 40-column 4, line 26, and column 21, line 1-column 22, line 34).

However, Maniwa'483 fails to expressly disclose if the metadata also includes data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data.

Blumberg discloses an apparatus comprising a unit to automatically generate a composite scan data file that includes the generated scan data (column 10, lines 4-26) and composite meta data comprising an application selector code for selecting a certain further processing of the scan data in the server and comprising additional data for directing the selected further processing of the scan data (column 10, lines 18-26).

Maniwa'483 & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use metadata, with the metadata including data for selecting a certain further processing of the scan data in an image server and data for directing the selected further processing of the scan data. The suggestion/motivation for doing so would have been that Maniwa''483s system would transmit images more efficiently, wherein only the minimal amount of image data necessary to satisfy a client request is transmitted. Therefore, it would have been obvious to combine the teachings of Blumberg with the system of Maniwa'483 to obtain the invention as specified in claim 19.

Regarding *claim 21*, Maniwa'483 and Blumberg disclose the apparatus discussed above in claim 19, and Maniwa'483 further teaches of a unit to store at least two different sequences of generic composite meta data, each relating to a respective scan job type and including a different application selector code (column 23, lines 20-37), a unit to present for selection the respective scan job types to an operator of the scanner device (column 21, lines 21-67), a unit to select, by the operator, of one of the scan job types (column 21, line 44-column 22, line 8), a unit to scan a document thereby generating a scan data file including specific composite meta data based on the generic composite meta data of the scan job type selected by the operator (column 22, line 9-column 23, line 33).

Regarding *claim 22*, Maniwa'483 and Blumberg disclose the apparatus discussed above in claim 21, and Maniwa'483 further teaches of a unit for receiving identity information of an operator (column 3, line 6-column 4, line 18, and column 27, line 33-column 28, line 28), and

wherein the unit to store generic composite meta data stores sets of at least one scan job type for each of a plurality of users (see Table 2 in column 9), and wherein the unit to present scan job types for selection is connected to the unit for receiving identity information of an operator so as to present, upon receiving the identity information of an operator, the set of scan job types of that operator (see Table 2 in Fig. 9, and column 3, line 6-column 4, line 18).

Regarding claim 23, Maniwa'483 and Blumberg disclose the apparatus discussed above in claim 22, and Maniwa'483 further teaches that the unit for receiving identity information of an operator is operable to input identity information of an operator at the scanner device, and the unit to present scan job types for selection is operable to present the set of scan job types of that operator only (column 3, line 6-column 4, line 18, and column 27, line 33-column 28, line 53).

Regarding claim 24, Maniwa'483 and Blumberg disclose the apparatus discussed above in claim 22, and Maniwa'483 further teaches that the unit for receiving identity information of an operator is connected to a remote site for inputting identity information of an operator, and the unit to present generic composite scan file names for selection is operable to present the set of scan job types of that operator at the scanner device for a predetermined time interval (column 3, line 6-column 4, line 18, and column 27, line 33-column 28, line 53).

Regarding claims 33 and 34, Maniwa'483 and Blumberg disclose the methods discussed above in claims 11 and 19, and Blumberg further teaches that the scan data includes text scan data pertaining to texts included in the scanned document (see Figs. 4A-4C, and column 13, lines 36-55).

Maniwa'483 & Blumberg are combinable because they are from the same field of endeavor, being systems that send scanned documents to a server for subsequent access. At the Application/Control Number: 09/680,427 Page 25

Art Unit: 2625

time of the invention, it would have been obvious to a person of ordinary skill in the art to have text scan data pertaining to texts included in the one or more scanned documents, as taught by Blumberg, within the system of scanned image data of Maniwa'483. The suggestion/motivation for doing so would have been that Maniwa'483's system would process common image, which includes text, as recognized by Blumberg, so that system users can efficiently use the system. Therefore, it would have been obvious to combine the further teachings of Blumberg with the system of Maniwa'483 to obtain the invention as specified in claims 33 and 34.

Conclusion

9. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joe Pokrzywa whose telephone number is (571) 272-7410. The examiner can normally be reached on Monday-Friday, 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward L. Coles can be reached on (571) 272-7402. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Joseph R. Pokrzywa Primary Examiner Art Unit 2625

jrp

JOSEPH R. POKRZYWA
PRIMARY EXAMINER